

Application for Discharge of Trade Waste to Sewer Part A

Water Supply (Safety & Reliability) Act 2008

Section 1 – Business Owner and details of property from which trade waste is discharged:

(If a question does not apply, please leave blank.)

Business Details:	Trading/Business name:			
	No: ___ / ___		Street:	
	Suburb:		Phone no.:	
	Mobile no.:		Email address:	
	Fax no.:		Property Description: Lot: _____, on plan: _____	
	Shop/Unit no.:		Operator/Applicant:	
	Phone no.:		Postal Address:	
	Postcode:		Signature:	
Date:				
Waste Details:	Number of pedestals			
	Number & length of urinals			
	Nature of business (eg. cafe)			
	Proprietorship:		<input type="checkbox"/> sole trader; <input type="checkbox"/> partnership <input type="checkbox"/> company; <input type="checkbox"/> trust	
	Operating Times:	___ am- ___ pm ___ days/week	Number of seats etc.:	
	List of processes generating trade waste (eg. washing, cooking etc)			
	Method of pre-treatment of trade waste before discharge to sewer system:		Grease Arrestor <input type="checkbox"/>	Other(specify) :
Volume/size(specify) :				
Shared <input type="checkbox"/> (specify no. businesses)				
Maintenance:	Trade waste contractor			
	Frequency of cleaning			

Section 2 – Building Owner/Authorised Agent details: As Above

Name & postal address of property owner or Authorised Agent (appointed by owner)

Name:	Phone no.:
Postal Address:	Postcode:
Mobile no.:	Fax no.:
E-mail address:	ABN No.:

PRIVACY STATEMENT: Gympie Regional Council collects personal information where it is directly related to a function or activity of Council and where the collection of such information may be reasonably considered as necessary for that purpose. It will only use personal information for that purpose, and will not disclose it, except as permitted under the Information Privacy Act 2009.

Office Use Only:

Category 1 (low strength/volume discharges <250kL/annum- <250mg/L BOD & S/S) <input type="checkbox"/>	Category 2 (low strength 250-600kL/annum- BOD & S/S 250-600mg/L) <input type="checkbox"/>	Category 3 (High strength discharges irrespective of volume BOD & S/S >600mg/L or >600 kL/annum) <input type="checkbox"/>
<i>May include:</i> Childcare centres, schools, hair dressers	<i>May include:</i> Butcher, Fast food, Mechanical workshops	<i>May include:</i> Industrial
<i>Comments:</i>		