

Application for Discharge of Trade Waste to Sewer Part B

Water Supply (Safety & Reliability) Act 2008

Details of property from which trade waste is discharged:

(If a question does not apply, please leave blank.)

Business Details:	Trading/Business name:				
	Number:___/___		Street:		
	Suburb:		Mobile no.:		
	Phone no.:		Fax no.:		
	Email address:		Shop/Unit no.:		
Real Property Description: Lot:_____ , on plan:_____					
Description of flow:	Max daily discharge- litres:		Metered?	<input type="checkbox"/> Y / N <input type="checkbox"/>	
	Max rate of discharge L/hr:		Hours/day of discharge:		
Pre-treatment:	Method of treatment (eg. Grease trap):		Common trap shared?	<input type="checkbox"/> Y / N <input type="checkbox"/>	
	If Yes , Other trade waste generators using shared grease trap:				
	No. & size of trap/s:		550L <input type="checkbox"/>	1000L <input type="checkbox"/>	2000L <input type="checkbox"/>
	Type of trap/s:	Grease <input type="checkbox"/>	Silt <input type="checkbox"/>	Neutralising <input type="checkbox"/>	Oil Separator <input type="checkbox"/>
	Make & model of oil separator:				
Maintenance:	Trade waste contractor (cleans pre-treatment equipment):				
	Frequency of cleaning (eg. Weekly):				
Nature of trade waste (cat.2&3):	BOD (mg/L)				
	COD (mg/L)				
	Suspended Solids (mg/L)				
	Total Dissolved Solids (mg/L)				
	Temperature (degrees C)				
	pH				
	Oil/grease (mg/L)				
	Sulphur compounds (mg/L)				
Metals (specify concentrations) <input type="checkbox"/> Yes/No <input type="checkbox"/> :					

Application for Discharge of Trade Waste to Sewer Part B

Water Supply (Safety & Reliability) Act 2008

Nature of trade waste (cat.2&3) continued:	Other chemicals (specify concentrations) <input type="checkbox"/> Yes/No <input type="checkbox"/> :	
Category 3: Details of proposed self-monitoring program:	Description of sampling point/s:	
	Sampling frequency:	
	Collection method:	<input type="checkbox"/> Automatic sampler/Manual <input type="checkbox"/>
	Sample type:	<input type="checkbox"/> Grab/Composite <input type="checkbox"/>
	Parameters to be analysed:	
	Laboratory to be used:	
Comments:		

Office Use Only:

Category 1 (low strength/volume discharges <250kL/annum- <250mg/L BOD & S/S) <input type="checkbox"/>	Category 2 (low strength 250-600kL/annum- BOD & S/S 250-600mg/L) <input type="checkbox"/>	Category 3 (High strength discharges irrespective of volume BOD & S/S >600mg/L or >600 kL/annum) <input type="checkbox"/>
<i>May include:</i> Childcare centres, schools, hair dressers	<i>May include:</i> Butcher, Fast food, Mechanical workshops	<i>May include:</i> Industrial
Comments:		

PRIVACY STATEMENT: Gympie Regional Council collects personal information where it is directly related to a function or activity of Council and where the collection of such information may be reasonably considered as necessary for that purpose. It will only use personal information for that purpose, and will not disclose it, except as permitted under the *Information Privacy Act 2009*.