

PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 5

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version 2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
25/11/23	Anne Richardson	4 Sellers Close, Gympie	<i>[Signature]</i>
25/11/23	Azim Sayed	4 Rosella Close, Gympie	<i>[Signature]</i>
25/11/23	Sarah Taylor	2 Rosella Close, Gympie	<i>[Signature]</i>
25/11/23	Tess Horner	3 Ridgeview Drive, Gympie	<i>[Signature]</i>
25/11/23	IRENE RAINEY	1 Ridgeview Drive, Irene Rainey	<i>[Signature]</i>

22/56

*[Signature]*  
Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 6

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. **We request** the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. **We request** that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. **We request** that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. **We request** the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.








DATE	NAME	PRINT ADDRESS	SIGNATURE
13-11	E JAMES	SOUTH SIDE PRO.	[Signature]
13-11	K. JAMES	37 EXHIBITION RD	[Signature]
13-11-23	P. McLaughlin	100 Noosa Rd Monkland.	[Signature]
13/11/23	S. McFortune	100 Noosa Rd Monkland.	[Signature]
13/11/23	C J ROSE	14 Meadows Lane Chatsworth	[Signature]
22/11/23	B. Steek	32 Holding RD, The Downs	[Signature]

23/56

*[Signature]*  
Justice of  
Peace (Qual)



Total number of signatures (must be minimum of 10) \_\_\_\_\_ 7  
Total number of pages \_\_\_\_\_

DATE	NAME	PRINT ADDRESS	SIGNATURE
26-11-23	Kathy Rosenberger	15 Corbet Rd Jones Hill	
26-11-23	TerAnn Smith	89 Ritle Range Road	
26-11-23	Barbara Haddfield	6 Derrin Dr	
26/11/23	Doreen Bryant	25 O'Meara Road	
26/11/23	Doreen Hunt	" " "	
26/11/23	SHANE STRACHAN	9 MADSLEY STREET	
26/11/23	Loretta Senesall	7 Timber-top Ct	

*X*  
Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 9

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. **We request** the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. **We request** that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. **We request** that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. **We request** the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
14/11/23	Samantha Brumpton	79 Benian Rd, The Palms	<i>[Signature]</i>
14/11/23	maxwell palmer	1/40 stumm RD	<i>[Signature]</i>
14/11/23	gary william coleman	4 woodgar st	<i>[Signature]</i>
14-11-23	Annette Talbot	48 Palm Dve The Palms	<i>[Signature]</i>
14/11/23	colleen Lathbury	monkland	<i>[Signature]</i>
14/11/23	18 BALENO ST	Marygina	<i>[Signature]</i>
14/11/23	6 Power St	Mrs Maria Fewtrell	<i>[Signature]</i>
14/11/23	1 Somerset St	Gympie	<i>[Signature]</i>
14/11/23	RYAN PRIGG	GLENWOOD	<i>[Signature]</i>

25/10

*[Signature]*  
Justice of  
Peace (Qual)















PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 12

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
13.11	Kaye	4/37 Murgrove St	
13.11	ALISON	21 NORTH DEEP CREEK	
16.11	BERNIE.S.	11 VIOLET ST. GYMPIE	
16.11	Bec Vella-Miller	Leigh Crt Curra	
16.11	Rail-Chene	4 Leigh Crt Curra.	
16.11	Mik Miller	" " " "	
	Shanna Brock		
	Ben Lammie		
26-11	Col Ross		
26/12/23	Svetlana Sally Johnson	PINCON BAY	
26-11-23	Korinne Bridges	Thomas Rd Curra	
26.11.23	Karen Inglis	494 Eel Creek Rd Pir Creek	

26/56

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 15

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
13/11/23	Kemie Southon	4570 13 Barker Street Gympie	K Southon
15-11-23	John Torrens	36 Waddell Rd Gympie	J TORRENS
15-11-23	Joe Mooney	49 Dissiges Rd Glastonbury	J Mooney
16-11-23	Rodriggiero	51 Mary St Gympie	Rodriggiero
16-11-23	Bruce Viner	21 Walsh St Gym	Bruce Viner
17-11-23	Sheryl Anderson	11 Clarkson Dr BowBeach	Sheryl Anderson
21-11-23	Fiona Zhang	98 Severn Chase	Fiona Zhang
23-11-23	Chaille L'Huithier	Calton Circle	Chaille L'Huithier
23-11-23	SALLY O'HARE	Osborne Act	Sally O'Hare
23-11-23	KYLIE DOSSETTO	Osborne Act Wally	Kylie Dossetto
23-11-23	Allison S. Violet St.		Allison S. Violet St.
26/11/23	Peter Welsh	78 Duke St	Peter Welsh
26/11/23	John Fuller	321 Courier Rd	John Fuller
26/11/23	TREUBA THAMMONG	10 WAVERLEY DR DRUG	TREUBA THAMMONG
26/11/23	ANWETTE BOURKE	53 OLD VETERAN RD VETERAN	ANWETTE BOURKE

27/136

Justice of  
Peace (Qual)



# PETITION TO GYMPIE REGIONAL COUNCIL - NO FLUORIDE

Total number of signatures (must be minimum of 10) 18  
Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply..... Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all Industrial Waste Fluoride out of our water supply as per Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	CURRAART GROUP	SIGNATURE
14/11/23	JENNI WHITNEY			
14/11/23	DENISE HICKEY	16 POPES RD	Gympie	
14-11-23	Liz Barber	158 Arborten Rd.	Glenwood by-Barker	
14-11-23	Brett Fisher	173 Clarkson Drive	Curra	
14-11-23	Greg McEneaney	23 Harrington Ave		
14/11/23	Christine Kirstein	144 Fleming Rd	Two Mile	Christine Kirstein
14/11/23	Overcome Boyce	14 TEMPLE ROAD		
19/11/23	Pat Sibley	Tin Can Bay Rd	Goombarian	P. Sibley
19/11/23	Kathleen-Patricia Sibley	Alrights rights reserved		
19/11/23	Rebecca Pickett	74 Duke St,	Gympie	Rebecca Pickett
19-11-23	Colin Beft	36 Council St		
19/11/23	Ben Medall	87 Oldunformity Rd	Curra	
19/11/23	Aileen McHaff	87 Oldunformity Rd	Curra	
19-11-23	Ken Morgan	46 MUSGRAVE ST	Gympie	
19-11-23	Steve Hendell	'As Above'		
19-11-23	RITA COCKINS	15 ABOVE		
19-11-23	Nicole GLOVES	15 ABOVE		
19-11-23	SHANE WHITE	115 OLD VICTORIAN ROAD		

28/36

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 18

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. **We request** the removal of all Industrial Waste Fluoride out of our water supply as per Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. **We request** that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. **We request** that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. **We request** the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
19-11-23	MARGARET WOODWARD	3/59 GATEWAY DRV. NOOSAVILLE	<i>[Signature]</i>
19-11-23	DAVID WILLIAMS	53 GYMPIE RD / WILKINSON	<i>[Signature]</i>
19/11/23	Ethan Farrugia	50 McPhail Street Southside	<i>[Signature]</i>
19/11/23	H Smith	Noosa road	<i>[Signature]</i>
19/11/23	M Jay	Noosa road	<i>[Signature]</i>
19/11/23	K Anne	McIntosh Creek Rd	<i>[Signature]</i>
19/11/23	Nail Boren	VETERAN	<i>[Signature]</i>
19/11/23	Peter Martin	GOODWIN RD	<i>[Signature]</i>
19/11/23	Anty Martin	"	<i>[Signature]</i>
19/11/23	STEVE CHIVERS	2 MARSDEN ST / MBIL	<i>[Signature]</i>
27-11-23	Bruce Chant	44 Reposte Station	<i>[Signature]</i>
27/11/23	Sandy Ekert	Timbour Road	<i>[Signature]</i>
	Kate ENSOR	KANDANGA IMBIL RD IMBIL	<i>[Signature]</i>
27/11/23	CHRIS WATERHOUSE	KYBONG	<i>[Signature]</i>
27/11/23	FRANK HISCOCK	ARALEUN	<i>[Signature]</i>
27-11-23	Carolyn Ogden		<i>[Signature]</i>
27/11-23	Vincent McFarrell		<i>[Signature]</i>
27/11/23	Willow Harloff		<i>[Signature]</i>

29/56

Justice of Peace (Qual)



## PETITION TO GYMPIE REGIONAL COUNCIL - NO FLUORIDE

Total number of signatures (must be minimum of 10) 17  
Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply..... Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all industrial Waste Fluoride out of our water supply as per Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
19/11/23	Justine Ross	28 Berrie St Gympie	[Signature]
19.11.23	G. Priest	10 Tuzer Park Rd Gympie	[Signature]
19.11.23	C. Wicks	12 FRI LID AD VETERIN	[Signature]
19-11-23	Bob Dodd	36 WATERGUM DP PIERCE	[Signature]
19-11-23	Travis Thrupp	117 Red Gully Rd Amamoor Q	[Signature]
19.11.23	Aniko Heron	150 Benian Rd, The Palms	[Signature]
19.11.23	Darren Heron	150 Benian Rd, THE PALMS	[Signature]
19.11.23	Gillian Hargy	150 Benian Rd, THE PALMS	[Signature]
19.11.23	John Williams	53 Gympie Rd Tinian Bay	[Signature]
19.11.23	Jim Edrington	10 MINDUNA Fld 11 MINDUNA	[Signature]
19/11/23	B. LANE	Beresford Cres Gympie	[Signature]
19/11/23	Gunter	105 Mary Valley Rd	[Signature]
19/11/23	A. Berman	30 Watergum drive PIERCE	[Signature]
19/11/23	PETER MAHAFFEY	48 WESTEC RD GOONIBARRAN	[Signature]
19/11/23	K. Coatham	23 Johns Rd Gympie	[Signature]
19/11/23	A+L Lees	1 Lawrence Lane Gympie	[Signature]
19/11/23	A+D CATLIN	6 BENBULLEN CT Gympie	[Signature]

30/56

Justice of  
Peace (Qual)



# PETITION TO GYMPIE REGIONAL COUNCIL - NO FLUORIDE

Total number of signatures (must be minimum of 10) 17

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply..... Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. **We request** the removal of all Industrial Waste Fluoride out of our water supply as per Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. **We request** that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. **We request** that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. **We request** the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
19/11/23	Courtney	101 Lawson Road	Mahaffy
19/11/23	Donna	Camps close	D Brady
19/11/23	Stephanie	Pickering	CS
19/11/23	Tarina	lanne lane	Therese
19/11/23	Ella	lanne lane	
19-11-23	Brian Clark	THE DULWICH	
19-23	Debbie	Amamoor	D John
19-23	Wally	Amamoor	D John
19-11-23	John Widgee	Widgee on cave	
19-11-23	Cunning	East deep Creek	CS
19/11/23	Rhonda	21 Grandview Rd	K. J. J.
19/11/23	PAULA	TAMAREE	PAV
19-11-23	Tess	Amamoor	LP
19.11.23	Makenzy	Power road (Gympie)	monter
19/11/23	Maddison	Power road widgee	Maddi
19/11/23	Heleen	Pie Creek	A. Desaut
19/11/23	Jackson	Watson Road	Jung

31/56

Justice of  
Peace (Qual)



# PETITION TO GYMPIE REGIONAL COUNCIL - NO FLUORIDE

Total number of signatures (must be minimum of 10) 17

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. **We request** the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. **We request** that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. **We request** that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. **We request** the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
19	LINDA MCHENRY	9 KATH RD Araluen	[Signature]
19	LESA HAMMOND	10 ARNEY CRESS BARRA. LEIST.	[Signature]
19	Damien Gallaher	19 Bond drive	[Signature]
19	Toni Dawson	10 Bond Rd	[Signature]
19	LAURIE SMITH	86 CAMBER	[Signature]
19	Rosemary Benich	100 SUMMIT RD	[Signature]
19	KARLO HOUST	79 PERVAL DR	[Signature]
19	[Signature]	157 LYNN DRIVE	[Signature]
19	Jeff Miller	18 Johnston Rd	[Signature]
19	Alleen Clifton	"	[Signature]
19	Reemay Warr	726 MCKINTOSH CK RD R Ward	[Signature]
19	20 19 Bond drive	Arundel	[Signature]
19	Bonnie Mayfield	200001st	Bill Mayfield
19	Jo Theatre	115 Sovereign dr	[Signature]
19	GANNY GREGG	14 COCONUT ST	[Signature]
19	Trishette Harny	43/2 CARSWRIGHT RD GYMPIE	[Signature]
19	Philip Hardy	"	[Signature]

32/56

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 17

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.

2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.

3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?

4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.

5. We request the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.

6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.

7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.

8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
25/11/23	Chris Ryan	60 Fairway Drive Gympie	[Signature]
25/11/23	Colleen Jacobs	62 Fairway Drive Gympie	[Signature]
25/11/23	Gina Moore	64 Fairway Drive Gympie	[Signature]
25/11/23	KARL MOORE	64 Fairway Drive Gympie	[Signature]
25/11/23	Belinda Bryce	65 Fairway Dr Gympie	[Signature]
25/11/23	Kathy Stead	61 Fairway Dr Gympie	[Signature]
25/11/23	Hana Hines	47 Fairway Dr Gympie	[Signature]
26.11.23	Erzsébet Gsimay	45 Fairway Dr Gympie	Erzsébet Gsimay
26.11.23	Paul Smith	31 Fairway Drive	[Signature]
26/11/23	ASK PETERSEN	1 TEAL CLOSE	[Signature]
26/11/23	Rhys King	4 Teal Close	[Signature]
26/11/23	JAMIE THORBURN	3 TEAL CLOSE	[Signature]
26/11/23	Chris Zillman	3 Mayfair Drive	[Signature]
26/11/23	MO	5 teal close	[Signature]
26/11/23	Cody	5 teal close	[Signature]
26/11/23	Nicola Giesen	3 Settlers Ct	[Signature]
26/11/23	Theo Giesen	3 Settlers Ct	[Signature]

33/56

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 17

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
25/11/23	RAY KINGSTON	8 EAGLEVIEW CLOSE GYMPIE	R. Kingston
25-11-23	R. GROUNDWATER	38 FAIRWAY DR. GYMPIE	R. Groundwater
25/11/23	E. GUDGEON	40 FAIRWAY GYMPIE	E. Gudgeon
25/11/23	B. BROWN	2 OUTLOOK GYMPIE	B. Brown
25/11/23	S. TAMPKINS	2 OUTLOOK GYMPIE	S. Tampkins
25/11	A. J. OLIVER	3 OUTLOOK CL. GYMPIE	A. J. Oliver
25/11	C. WILKINSON	4 OUTLOOK CL. GYMPIE	C. Wilkinson
25/11	D. ELLEN	4 OUTLOOK CLOSE GYMPIE	D. Ellen
25-11	D. WOOD	5 OUTLOOK CLOSE GYMPIE	D. Wood
25-11	S. NOY	2/6 OUTLOOK CLOSE GYMPIE	S. Noy
25-11	T. KROSS	2/6 OUTLOOK CLOSE GYMPIE	T. Kross
25/11	P. DELIGHTON	10 OUTLOOK CLOSE GYMPIE	P. Delighton
25/11	MADDISON	3 MAIDMENT COURT GYMPIE	M. Addison
25/11	CARRIE-ANN	3 MAIDMENT COURT GYMPIE	C. Ann
25/11	JAMES OLIVER	4 MAIDMENT COURT GYMPIE	J. Oliver
25/11	TANA TODELL	4 MAIDMENT COURT GYMPIE	T. Toddell
25/11	BARBARA DOUGHER	6 MAIDMENT CRT GYMPIE	B. Dougher

34/56

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 17

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. **We request** the removal of all Industrial Waste Fluoride out of our water supply as per Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version 2.0.
6. **We request** that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. **We request** that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. **We request** the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
24/11/23	Kristhe Jensen	35 Ridgeway Drive	K Jensen
24/11/23	KARL HANKLESS	31 Ridge View DRIVE	K Hankless
24/11/23	Simone de Rooy	29 Ridgeway Drive	S de Rooy
24/11/23	zhidan zhao	27 Ridgeway Drive	Z Zhao
24/11/23	Terri Morrow	4 Fairway Drive	T Morrow
25/11/23	Adam Bowen	2 Dovecot Close	A Bowen
25/11/23	Kelly McCabe	8 Fairway Drive	K McCabe
25-11-23	Chris Warner	16 Fairway Drive	C Warner
25-11-23	GREG WARNER	16 FAIRWAY DRIVE	G Warner
25-11-23	JENNIFER SMITH	22 FAIRWAY DRIVE	J Smith
25-11-23	Nicholas Barry	28 Fairway Drive	N Barry
25-11-23	BERYL HOOKIHAN	4 EAGLEVIEW CLOSE	B Hookihan
25/11/23	J Sim	3 EAGLEVIEW CLOSE	J Sim
25/11/23	C Clark	5 Eagleview close	C Clark
25/11/23	ATTILA SIEKELY	6 EAGLEVIEW CLOSE	A Siekely
25/11/23	MARGITS SIEKELY	6 EAGLEVIEW CLOSE	M Siekely
25-11-23	HONARY KINGSTON	8 EAGLEVIEW CLOSE	H Kingston

35/56

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 17

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. **We request** the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. **We request** that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. **We request** that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. **We request** the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
20/11/23	ANDREW GANTER	1842 ANDERLEIGH RD DOWNSFIELD	[Signature]
20-11-23	Bernie Short	Gympie	[Signature]
20/11/23	KIM BRYANT	Southside	[Signature]
20/11/23	John Prescott	77	[Signature]
26/11/23	MARIA DAI	Gympie	[Signature]
26/11/23	Joan Day	Gympie	[Signature]
26/11/23	Glenda Muccia	Gympie	[Signature]
26/11/23	Shane Mitchell	Gympie	[Signature]
26/11/23	ZOE DAI	Gympie	[Signature]
26/11/23	Alan Murray	Gympie	[Signature]
26/11/23	J. Murray	Gympie	[Signature]
26/11/23	Harry Williams	Gympie	[Signature]
26/11/23	ROB SHAW	M'INTOSH CREEK	[Signature]
26/11/23	CHRIS SHAW	M'INTOSH CREEK	[Signature]
26/11/23	Matthew Laundry	Gympie	[Signature]
26/11/23	Deby Summerhayes	Gympie	[Signature]

36/56

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 17

Total number of pages                     

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
19.11.23	Cheryl Braon	54 Forest Ridge	
11	Mark Braon	Tamamoo, QLD, 4570	
19.11.23	Justine Sorensen	1 Walker St Gympie	J. Sorensen
19.11.23	BRUCE SORESENSEN	1 WALKER ST GYMPIE	B Sorensen
19.11.23	Shayn Shppard	18 Somerset St Gympie	Shppard
19.11.23	Helga Pilschke	265 Power Rd Widgee	Helga Pilschke
"	Chris	" " " "	Chris
"	Eddie Byng	63B DUKE ST Gympie	E Byng
"	Linda Semdes	16 Smidt Rd Gympie	L Semdes
"	Michelle O'Hara	ELIZABETH ST KENILWORTH	M O'Hara
"	J. ENSLEY	KENILWORTH	J. Ensley
"	B. Rodgers	Tones Hill	B. Rodgers
"	R. Hooke	GYMPIE	R. Hooke
"	J. Deans	East Deep Creek	J. Deans
"	T. Lewis	1 Albert Rd	T. Lewis
"	L. Garry Leticialmpey	Laurensen Rd	L. Garry
"	J. Andrew	STACY LANE	DAWN

37/56

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 17

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
14-11-23	Elizabeth Noske	4 Ironwood Cl Gympie	E. Noske
15-11-23	Anthony Paschinger	4 Ironwood Cl Gympie	A. Paschinger
19-11-23	BETSY QUINCE	4 COTTY SARA CRT COOLWATER COVE	B. Quince
19/11/23	PETER ANDREW HALLER	22 ALLARADO PL TAMARUA	P. Haller
19/11/23	B. Lott	Clatsenburg	B. Lott
19/11/23	D. Ferguson		D. Ferguson
19/11/23	A. Gibson	Chatsworth	A. Gibson
"	M. P. Rozanski	14 Yabba Rd Imbil	M. Rozanski
19-11-23	R. McIntyre	39 CHARLSON CULLEN	R. McIntyre
19-11-23	R. Gilroy	140 River Rd	R. Gilroy
19-11-23	F. Granier	10 Jubilee Street MANKLAND	F. Granier
19/11/23	P. Paschinger	300 Laurel Rd	P. Paschinger
21/11/23	G. HATFIELD	5 IRONWOOD CL. GYMPIE	G. Hatfield
21/11/23	W. HATFIELD	5 IRONWOOD CL. GYM.	W. Hatfield
21/11/23	S. Wells	7 Ironwood Cl Gympie	S. Wells
21/11/23	Diane R.	10 Ridgeway Drive	D. Rydenberg
21/11/23	Ashley C	6 Ridgeway drive	A. C.

38/56

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 17

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. **We request** the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. **We request** that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. **We request** that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. **We request** the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
21/11	Col	12 RIDGEVIEW DR	[Signature]
21/11	Nadja Garmeister	1 Riverstone Close	[Signature]
21/11	GARRY DUBOIS	2 RIVERSTONE CLOSE	[Signature]
21/11	Ammiel Coines	8 Riverstone Close	[Signature]
21/11	Rhonda Weller	24 Ridgerview Drive	[Signature]
21/11	Jessica Wilcox	32 Ridgerview Drive	[Signature]
21/11	Mason Wilcox	44 Ridgerview Drive	[Signature]
21/11	Shelley Kropp	48 Ridgerview Drive	[Signature]
21/11	Kylie Daunt	54 Ridgerview Drive	[Signature]
21/11	Tom Daunt	54 Ridgerview Drive	[Signature]
21/11	G. Williams	62 RIDGEVIEW DR	[Signature]
21/11	A. Den	2/64 RIDGEVIEW DR	[Signature]
21/11	G. Scheuber	25 Ridgerview Dr.	[Signature]
21/11	K. Dean	21 Ridgerview DR	[Signature]
21/11/23	R. SHADBOULT	3/5 RIDGEVIEW DR.	[Signature]
23/11/23	J Ringue	11 Ridgerview Dr	[Signature]
24/11/23	Sharvella Nord	16 Barton Rd.	[Signature]

39/56

Justice of  
Peace (Qual)



## PETITION TO GYMPIE REGIONAL COUNCIL - NO FLUORIDE

Total number of signatures (must be minimum of 10) 5

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. **We request** the removal of all Industrial Waste Fluoride out of our water supply as per Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. **We request** that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. **We request** that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. **We request** the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
------	------	---------------	-----------

12/11/23	2 JANE ST. GYMPIE	J. Dennis
----------	-------------------	-----------

14-11-23	38 OAK ST. GYMPIE	W. E. Brunjes
----------	-------------------	---------------

14-11-23, Annette	48 Palm Dre The Palms	Antal
-------------------	-----------------------	-------

14-11-23 mason	1/40 stumm RD	Mason
----------------	---------------	-------

14-11-23 Harley	4/40 stumm Rd	Harley
-----------------	---------------	--------

49/56

Justice of  
Peace (Qual)



## 5

5

5

5

- 5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

5

Justice of  
Peace (Qual)



## PETITION TO GYMPIE REGIONAL COUNCIL - NO FLUORIDE

Total number of signatures (must be minimum of 10) \_\_\_\_\_ 4

Total number of pages \_\_\_\_\_

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.

2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.

3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?

4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.


5. **We request** the removal of all Industrial Waste Fluoride out of our water supply as per Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.


6. **We request** that the resulting cost saving to Gympie Regional Council, be passed onto the Community.


7. **We request** that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.


8. **We request** the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
------	------	---------------	-----------

13/11/23	Graham Miller	94 Langley Rd Veteran	
----------	---------------	-----------------------	---

13/11/23	Shaya Bugello	14 Crown Rd Gympies	
----------	---------------	---------------------	---

14/11/23	Carol Miller	94 Langley Rd Veteran	
----------	--------------	-----------------------	---

14/11/23	Steven Intraona	2186 Amamoor creek rd Amamoor	
----------	-----------------	-------------------------------	---

42/56

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 10

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
16/11/23	Carmen Looney	51 Endeavour Dr Cooloolah	[Signature]
16/11/23	Katrina Latham	2 Doric Court Cooloolah Cove	[Signature]
16/11/23	Joy Champney	117 Investigator Av Cooloolah Cove	[Signature]
16/11/23	JOANNE BUSH	9 Doric Ct Cooloolah Cove	[Signature]
26/11/23	Carol Stadelman	9 Fishermans Haven TCB	[Signature]
26/11/23	Robin Clarke	37 Sterling Castle Rd TCB	[Signature]
26/11/23	JANE KIDSTON	14 CUTTYSARK CR/C/C	[Signature]
26/11/23	Pam Graham	111 Golden Hind St CC	[Signature]
26/11/23	SYLVIA SIMPSON	14/20 Gympie Rd, Ting Can Bay, S.F. Simpson	[Signature]
26/11/23	Carolyn Jeffery	18 Nixon Pl Pt Collier	[Signature]

43/56

Justice of  
Peace (Qual)



## Total number of pages \_\_\_\_\_

[illegible]

44/56

Justice of  
Peace (Qual)



## Total number of pages \_\_\_\_\_



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 16

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
20 Nov 23	Marie Tracey	100 Benian Rd. The Palms	<i>[Signature]</i>
21 Nov 23	GREG 180x12	4 Pinnacles Court Jones Hill	<i>[Signature]</i>
24 Nov 23	Jess. LaVey	4 Premier Ave Innes Hill	<i>[Signature]</i>
24 Nov 23	Julia Moore	64 Fairway Drive Gympie	<i>[Signature]</i>
24 NOV 23	Courtney Medland	8A Roma St Gympie	<i>[Signature]</i>
24 Nov 23	Caleb bekmann	22 roselea ave Gympie	<i>[Signature]</i>
25 Nov 23	Kirstie Stevens	Bath terrace Gympie	<i>[Signature]</i>
25 Nov 23	Kabelle Akers	Bath terrace Gympie	<i>[Signature]</i>
25 Nov '23	John Beckmann	60 McIntosh Ck Jones Hill	<i>[Signature]</i>
25 NOV 23	CHRIS Beckmann	60 McIntosh Ck.	<i>[Signature]</i>
25 Nov 23	CHARLES Pooley	4 Cox Rd Southside QLD.	<i>[Signature]</i>
25th Nov "	Rich Taffery	5 Argent G. Coorooa Cove	<i>[Signature]</i>
25 <sup>th</sup> Nov 23	Lorraine Lovegrove	275 Hoopers Rd.	<i>[Signature]</i>
25 <sup>th</sup> Nov 23	Mark Lovegrove	273 Hoopers Rd	<i>[Signature]</i>
25 <sup>th</sup> Nov 23	Patricia Riley	" " "	<i>[Signature]</i>
25 <sup>th</sup> Nov 23	Chris Riley	" " "	<i>[Signature]</i>

46/56

Justice of  
Peace (Qual)



PETITION TO GYMPIE REGIONAL COUNCIL

Total number of signatures (must be minimum of 10) 16

Total number of pages 1

We, the undersigned, respectfully petition the Gympie Regional Council to be aware that:

1. According to Medical Scientific Research, evidence shows that adding Industrial Waste Fluoride into our water supply is harmful to all life.
2. Our Gympie Regional Council has not performed a "Duty of Care" by informing the Rate Payer, that there is Industrial Waste Fluoride added into our water supply, and that, it has proven harmful effects.
3. 75% of Queensland Councils have opted out of adding Industrial Waste Fluoride into their water supply.....  
Under the Water Fluoridation Act 2008.....Gympie Council could choose to be next?
4. Less than 5% of the world's population receive Industrial Waste Fluoride in their drinking water. 98% of Europe have rejected or banned Industrial Waste Fluoride treatment as it's classed as a poison.
5. We request the removal of all Industrial Waste Fluoride out of our water supply as per  
Queensland Health Document:- FAQ's-Local government fluoridation decisions - August 2022 Version2.0.
6. We request that the resulting cost saving to Gympie Regional Council, be passed onto the Community.
7. We request that the Council's CEO advise the Lead Petitioner, the actual date of receiving, the petitioners' registered mail.
8. We request the Council's CEO table this petition as received prior to 13<sup>th</sup> December, for Gympie Regional Council Meeting.

DATE	NAME	PRINT ADDRESS	SIGNATURE
16-11-23	Kath Parker	8 Premier Av. Jones Hill	<i>K Parker</i>
16-11-23	BARRY PARKER	8 PREMIER AV JONES HILL	<i>B Parker</i>
16-11-23	LYNDA EISEL	5 PEREGRINE PL Southside	<i>L Eisel</i>
16-11-23	TEAI BEGEDA	96 DUKE ST GYMPIE	<i>Teai</i>
16-11-23	Mikaela Campbell	63 Suddical ct on behalf of	<i>M Campbell</i>
16-11-23	Montanna Draper	16 Kinross Ct Curva	<i>Montanna</i>
16-11-23	Pauline HESSER	Camphor Laurel Court	<i>P Hesser</i>
16-11-23	haley brye	Camphor Laurel Ct	<i>Haley</i>
18-11-23	Michelle Johns	10 premier Ave Jones Hill	<i>M Johns</i>
18-11-23	Esther Watts	14 Premier AVE JONES HILL	<i>E Watts</i>
18-11-23	Chrissy Parsons	2 Pinnacle Ct Jones Hill	<i>C Parsons</i>
18-11-23	DARIN PARSONS	2 Pinnacle Ct Jones Hill	<i>D Parsons</i>
19-11-23	Alan Carter	4 Australia Dr AN Carter	<i>A Carter</i>
19-11-23	Keith Taylor	47 Louise St Gympie	<i>K Taylor</i>
19-11-23	Mae Liddle	24 M'INTOSH Ld Gympie	<i>M Liddle</i>
19-11-23	RON RANDLE	24 M'INTOSH Ld Gympie	<i>R Randle</i>

47/56

*J*  
Justice of  
Peace (Qual)